The following is a complete listing of all claims in the application, with an indication of the status of each:

Listing of claims:

	1. (currently amended) A method of encryption of a data file transmitted to a
1	1. (currency amendo)
2	decoder, said method comprising steps of
3	defining a write order of data blocks of said data file to non-sequential
4	storage locations of a mass memory,
	storing said data blocks in said mass memory in accordance with said
5	write order and undating a table having a plurality of entries corresponding to
7	a plurality of said non-sequential storage locations, said table being located
•	independently of said data file.
8	encrypting the table with a key unique to the decoder, forming an
9	encrypting the table with a key dandar to
10	encrypted table, and
	storing said encrypted table to said mass memory.
11	
1	2. (original) A method as recited in claim 1 wherein said mass memory is a
2	hard disk drive.
_	
1	3. (original) A method as recited in claim 1 wherein said mass memory is a
2	compact disk recorder/player.
L	Compare distance in the contract of the contra
1	4. (previously presented) A method as recited in claim 1, wherein said
_	updating in said table is performed in accordance with a second key.
2	updating in said table to personnel
	5. (previously presented) A method as recited in claim 4, wherein said
1	5. (previously presented) A method as recited in order
2	encrypting step is performed in accordance with a third key.

l	6. (previously presented) A method as recited in claim 4, wherein said key
2	and said second keys are identical.
1	7. (original) A method as recited in claim 5, wherein said second and third
2	keys are identical.
	8. (previously presented) A method as recited in claim 5, wherein said key
1 2	and said third keys are identical.
	9. (previously presented) A method as recited in claim 1, including the
1	
2	further steps of loading a portion of said data file, as blocks of data, into a memory
3	
4	queue,
5	setting a counter in accordance with a number of blocks in said
6	memory queue, and
7	performing said step of defining a write order in accordance with said
8	counter.
1	10. (original) A method as recited in claim 1, wherein said data file contains
2	audio and video data, said method including the further step of
3	separating audio and video into respective data blocks.
1	11. (previously presented) A method as recited in claim 1, wherein said data
2	blocks include headers, said method including the further step of
3	including said write order in said header.
l	12. (original) A method as recited in claim 1, including a further step of

).	transmitting encryption software for performing said encryption of said
3	data file to said decoder.
1	13. (original) A method as recited in claim 12, wherein said encryption
2	software includes said first key.
1	14. (currently amended) A decoder for receiving a digital transmission of a
2	data file including
3	means for defining a write order of data blocks of said data file to non-
4	sequential storage locations of a mass memory,
5	means for storing said data blocks in memory in accordance with said
6	write order and updating a table having a plurality of entries corresponding to
7	a plurality of said non-sequential storage locations, said table being located
8	independently of said data file,
9	means for encrypting the table with a key unique to the decoder,
10	forming an encrypted table, and
11	means for storing said encrypted table to said mass memory.
1	15. (previously presented) A decoder as recited in claim 14, wherein said means for storing said data utilizes a second key and said means for
2	encrypting the table utilizes a third key.
3	encrypting the table dulized 2 == 2 3 3
1	16. (original) A decoder as recited in claim 15, wherein two of said first,
2	second and third keys are identical.
1 2	17. (previously presented) A decoder as recited in claim 14, further including means for loading a portion of said data file, as blocks of data, into a
3	memory queue, and

means for setting a counter in accordance with a number of blocks in
said memory queue
wherein said means for defining a write order is responsive to said
counter.
18. (previously presented) A decoder as recited in claim 14, wherein one of said key, said second key and said third key is not shared with any other device.
19. (original) A decoder as recited in claim 14, further including
means for receiving encryption software for encrypting said data file.
20. (original) A decoder as recited in claim 14, further including a port to an outboard mass storage device.
21. (previously presented) A method as recited in claim 1, wherein said table
and said encrypted table are a file allocation table and an encrypted file
allocation table, respectively.
22. (previously presented) A method as recited in claim 1, wherein said defining step is performed in accordance with a first key and allocates corresponding sectors of said mass memory.
23. (previously presented) A decoder as recited in claim 14, wherein said
table and said encrypted table are a file allocation table and an encrypted file
allocation table, respectively.

1	24. (previously presented) A decoder as recited in claim 14, wherein said
2	means for defining a write order is performed in accordance with a first key
3	and includes means for allocating corresponding sectors of said mass memory.
1 2 3	25. (currently amended) A method of protecting streaming data stored in a storage device by a decoder, the method comprising steps of: writing streaming data in data blocks in a memory, scrambling the write order of the data blocks containing streaming data
4	scrambling the write order of the data brother of the storage
5	when storing the data blocks containing the streaming data in the storage
6	device,
7	creating a table describing the scrambling order of the data blocks of
8	streaming data in the storage device, there being a plurality of entries in said
9	table corresponding to a plurality of said data blocks, said table being located
10	independently of said streaming data, and
11	encrypting the table with a key unique to the decoder and storing the
12	encrypted table in the storage device.
•	
1	26. (previously presented) A method as recited in claim 25, wherein said
2	memory is a random access memory.
1	27. (previously presented) A method as recited in claim 25, wherein said
2	table is a file allocation table.
L	MARIAN ED 1- TOTAL